
## Mask Online Inkjet Date printer









## Technical Data:

Printing	High definition spray print font or dot matrix font; entity and dot matrix font can be	
fonts	mixed edited;	
Print height	The number of rows can be chosen within 12.7mmor 25.4mm, 25.4mm model can generate form directly	
Resolution	12.7mm model maximum resolution is 600 DPI, 25.4mm model maximum resolution is 300 DPI,	
Spray Printing Content	Text, counter (changeable), time and date (changeable), bar code (changeable), two-dimensional code (changeable), picture, etc.	
Machine System	Operating System of Thermal Foaming Printer V1.3	
Spray Printing Speed	The maximum printing speed can reach 75 meters per minute, and the printing speed does not change with the increase of the number of rows;	
Code Type	EAN8, UPCA, INT25, UPCE, CODE39, EAN13, CODE128, QRCODE, PDF417, DATAMATRIX	
Spray Printing Material	It can be sprayed on metal, plastic, wood, aluminium platinum, carton, building materials, electronic products and other surfaces.	
Ink Consumable s	Use environmentally friendly fast-drying ink or water-based ink, without adding solvents, pollution-free, without external air source or built-in air pump	
Communicat ion Interface	sensor induction, synchronizer induction, sensor and synchronizer mixing.USB and RS232	
Screen Machine size	7 Inch Color Touch Screen Size :22*5*14.5cm weight:0.75KG	
Pack size	Size :22 5 14.5cm weight:0.75KG   Size :33*27*17cm Weight 2.3KG	

## **Quotation Sheet EXW price**

Online Printer(white and black color available)	EXW Price
12.7mm printer	899USD/PCS
25.4mm printer	999USD/PCS
A type black quick dry lnk cartridige 12.7mm	70USD/PCS
T type black quick dry lnk cartridige 25.4mm	85USD/PCS
Mounting support (optional)	70usd/PCS
Conveyor(optional) 1500*250*750mm	480USD/PCS
Mask Position Device	30USD/PCS

Payment : T/T ,western union, 100%payment before shipping Leading time :2-5working days. Quotation validity :7 days